



抗旱排涝&应急抢险泵车

Emergency rescue pump truck for drought relief and drainage





1. 小型强自吸排涝泵车

Mini Electrical Motor / Diesel Engine Driven Pump Trailer

流量 Flow Rate: 3~300m³/h

吸程 Self-priming: 8.5m

扬程: ≥ 20m

重量: 100~300Kg



2. 中型拖车式强自吸排涝泵车

Middle Electrical Motor / Diesel Engine Driven Pump Trailer

流量 Flow Rate: 200~600m³/h

吸程 Self-priming: 8.5m

扬程: ≥ 20m

重量: 1000~2000Kg



3. 大型拖车式强自吸排涝泵车

Large Electrical Motor / Diesel Engine Driven Pump Trailer

流量 Flow Rate: 600~1000m³/h

吸程 Self-priming: 8.5m

扬程: ≥ 20m

重量: 2000~4000Kg



4. 超大型拖车式强自吸排涝泵车

Superlarge Electrical Motor / Diesel Engine Driven Pump Trailer

流量 Flow Rate: 1500~2000m³/h

吸程 Self-priming: 8m

扬程: ≥ 20m

重量: 4000~5000Kg



5. 全封闭拖车式强自吸排涝泵车

Carriage Electrical Motor / Diesel Engine Driven Pump Trailer

流量 Flow Rate: 600~1000m³/h

吸程 Self-priming: 8.5m

扬程: ≥ 20m

重量: 2000~5000Kg

■ 优势比较 Advantages

罗博思达 (LobePro) 转子泵 (又称凸轮泵), 超强自吸、正排、可逆, 流量与转速成正比, 不需要辅助抽吸装置, 与离心泵和其它叶片泵相比具有无可比拟的优势:

LobePro Rotary Lobes pump is positive displacement pump, strong self-priming without additional auxiliary suction device, reversible, flow and speed is proportional to, with unique advantage vs centrifugal & impeller pump.

- | | |
|---|---|
| <p>1) 最快10秒出水, 开机无需灌泵, 无需抽真空或排气
Quick action, No necessary to filling pump, No Vacuum accessory</p> <p>2) 最大自吸高度8.5米以上,
Max. self-priming: ≥8.5m</p> <p>3) 可输送含固率高达40%的流体
Max. 40% Solid concentration</p> <p>4) 最大扬程120米
Water Head :0~120m</p> <p>5) 最大通过异物尺寸60毫米, 无缠绕
Pass Max. 60mm soft solids, No clogging</p> <p>6) 无需泵头放入水中, 水平可抽吸300米远
Pump can take water from 300m away</p> <p>7) 气、液、固三相混输, 可抽干底水 (泥)
Can transport mixture of gas, liquid and solids, clean substrate sludge</p> | <p>8) 流量可以调节;
Flow rate adjustable</p> <p>9) 随时随地可作业, 无需加引水和底阀
Start immediately, not add water before operation ,no bottom valve</p> <p>10) 泵腔可调, 磨损无需更换备件
Adjustable Housing segment, no change any spares.</p> <p>11) 耐磨性好, 同比备件费用节省50%以上
Super wear-resisting ,saving 50% spares compared to other rotary lobe pumps.</p> <p>12) 可反转可以冲洗清理池子或扫仓
Can reverse running to cleaning pool or tank</p> <p>13) 独特的平衡式集装机封, 寿命长、可靠性好
Unique balanced cartridge mechanical seal, long lasting, free seals</p> <p>14) 在线维护设计, 无需拆卸管路, 简便快捷;
Maintenance inline design, without dismantling pipeline, simple and quickly</p> |
|---|---|

■ 应用领域 Applications

消防取水与供水 Fire Fighting



清理污泥池或河道 Cleaning of Sludge Tank & River Sludge



施工与应急排涝 Construction Site Drainage



抢险排涝 Emergency Drainage



养殖排泄物清理 Cleaning of Livestock Excrement



强自吸抗旱排涝泵车 (强自吸离心污水泵-汽柴油机驱动)



小型汽油应急抗旱排涝(泥)泵

进出口径: DN150(6寸)

额定流量: 150m³/h

最大流量: 170m³/h

最大扬程: 30m (水平输送 1000m)

吸程: 8m



6寸强排泵车

进出口径: DN150(6寸)

额定流量: 300m³/h

最大流量: 387m³/h

最大扬程: 33m (水平输送 1000m)

吸程: 7.5m

可排除颗粒物直径: 76mm



8寸强排泵车

进出口径: DN200(8寸)

额定流量: 550m³/h

最大流量: 600m³/h

最大扬程: 41m(水平输送 1500m)

吸程: 7.5m

可排除颗粒物直径: 76mm



12寸强排泵车

进出口径: DN300(可变径出 2进 2出 8寸)

流量: 1000m³/h

最大扬程: 20m (水平输送 800-1000m)


吸程: 7.5m

可排除颗粒物直径: 76mm

碧水蓝天 共同家园

Clean Water and Blue Sky, Our Beautiful Homeland

罗博思达授权合作伙伴 LobePro Authorized Partner



湖南罗博思达环保科技

LOBEPRO (HUNAN) ENVIRONMENTAL TECHNOLOGY CO., LTD.

湖南省沅江市中南船舶配套产业园6#厂房

电话: 0737-2706068

传真: 0737-2759068

www.lobepro-china.com

罗博思达(上海)

LOBEPRO (SHANGHAI) FLUID TECHNOLOGY CO., LTD.

上海市嘉定区陈宝路285号

电话: 021 5285 9350

传真: 021 5285 3596

www.lobepro-china.com

罗博思达(美国)

LOBEPRO INC./HOLLAND PUMP MFG. INC.

Add: 2610, Sidney Lanier Drive. Brunswick, GA 31525 USA

Tel: +1 (912) 466 0304

Fax: +1 (912) 466 0086

www.lobepro.com

